

Image Enhancement Approach for Digital Applications Based On Generalized Histogram Equalization Model

C. Anusha, M.Tech, Lmiste¹ L. Laxmi (M.Tech.)²

¹Assistant professor, Vijay Rural Engineering College, Nizamabad, Telangana, 503003, INDIA

²Department of ECE, Vijay Rural Engineering College, Nizamabad, Telangana, 503003, INDIA

c.anusha@yahoo.co.in l.laxmi0825@gmail.com

Abstract

In this paper, we have a tendency to propose a generalized leveling model for image improvement. supported our analysis on the relationships between image bar chart and distinction improvement white reconciliation, we have a tendency to initial establish a generalized leveling model desegregation distinction improvement and white reconciliation into a unified framework of protrusive programming of image bar chart. We have a tendency to show that several image improvement tasks may be accomplished by the projected model exploitation totally different configurations of parameters. With 2 shaping properties of bar chart remodel, specifically distinction gain and nonlinearity, the model parameters for various improvement applications may be optimized. We have a tendency to then derive associate degree best image improvement formula that in theory achieves the most effective joint distinction improvement and white reconciliation result with trading-off between distinction improvement and tonal distortion.

Keywords: Generalized Equalization, Nonlinearity of Transform, Tone Mapping, Contrast Enhancement, White Balancing Contrast Gain,

1. INTRODUCTION

With the quick advance of technologies and therefore the prevalence of imaging devices, billions of digital pictures square measure being created on a daily basis. Because of undesirable source of illumination, unfavorable weather or failure of the imaging device itself, the contrast and tone of the captured image might not invariably be satisfactory. Therefore, image improvement is usually needed for each the aesthetic and pragmatic functions. In fact, image

enhancement algorithms have already been wide applied in imaging devices for tone mapping. As an example, in a typical photographic camera, the CCD or CMOS array receives the photons passing through lens and then the charge levels square measure remodeled to the first image. Usually, the first image is kept in RAW format, with a bit-length too huge for traditional displays. Thus tone mapping techniques, e.g. the wide identified gamma correction, are used to transfer the image into an acceptable dynamic vary. a lot of refined tone mapping algorithms were developed through the years, simply to call a few. Generally, tone mapping algorithms can be classified into two categories by their functionalities throughout the imaging method.




Figure 1: Figure (a) is the illustration of traditional image enhancement strategy. Figure (b) is the illustration of joint image enhancement strategy

A. White Balancing

Because of the undesirable luminance or the physical limitations of cheap imaging sensors, the captured image might carry obvious color bias. To calibrate the color bias of image, we want to estimate the worth of light source, the matter of that known as constancy. Mistreatment suitable physical imaging model, one will get associate approximated brightness, so a linear transform are often applied to map the first image into an ideal one.

B. Distinction Enhancement

Distinction improvement algorithms square measure wide used for the restoration of degraded media, among that international bar chart leveling is that the most popular choice. Alternative variants include native bar chart equalization and therefore the abstraction filtering sort of strategies. As an example, in the half filter issued to market the variances of texture thus on enhance the image. In, a texture synthesis primarily based formula is proposed for degraded media, like recent photos or films. On the other hand, remodel primarily based strategies additionally exist, e.g. Curve let based algorithm associate adaptive steering regression kernels planned to combine image sharpening with de-noising. Despite of the plentiful literature on image improvement, including those representatives listed on top of, 2 challenging problems for image improvement square measure still not resolved first, how to reach distinction improvement whereas conserving an honest tone.

2. PROPOSED METHOD

A. Histogram-Based Analysis on White Balancing

White balancing is a popular image enhancement method, with a critical step of color constancy. Being different from the learning based we focus on a low-level approach to color constancy and establish the relationship between color constancy and the histogram of and image.

In the Lambert an surface model, the image is expressed as

$$f_c = \int r(\lambda)l(\lambda)m_c(\lambda)d\lambda \quad (1)$$

Here λ , is the wavelength of visible light. $r(\lambda)$ is the surface reflectance, $l(\lambda)$ is the light source, (λ) and is the sensitivity of camera in the channel. The goal of color constancy is to estimate the projection of light source on the RGB space. To achieve this goal, many assumptions have been made. For ex-ample, the max-RGB is proposed, which estimates the light source from the maximum responses of the three channels. Another widely used assumption is gray-world hypothesis, which assumes that the average reflectance in the scene is Achromatic. Recently, these assumptions are unified, as follows

$$\left(\frac{\int |f(x)|^\alpha dx}{\int dx}\right)^{\frac{1}{\alpha}} = Ce \quad (2)$$

From the viewpoint of image histogram, the left side of (2) can be rewritten as

$$\left(\frac{\int |f(x)|^\alpha dx}{\int dx}\right)^{\frac{1}{\alpha}} = \begin{pmatrix} (P_r^T)^{\frac{1}{\alpha}} \\ (P)^{\frac{T}{g}} \\ ((P)^{\frac{T}{b}}) \end{pmatrix} \quad (3)$$

Eq. (3) reveals the inter connection among white balancing and histogram. Given an image, is calculated as

$$e_c(\alpha) = \frac{(P_c^T h_c^\alpha)^{\frac{1}{\alpha}}}{\sqrt{\sum_{c=r,g,b} (P_c^T h_c^\alpha)^{\frac{2}{\alpha}}}} \quad (4)$$

As a result, the histogram of white balancing result, denoted as, \hat{h}_c is computed as follows

$$\hat{h}_c = \frac{1}{e_c(\alpha)\sqrt{3}} \hat{h}_c \quad (5)$$

It is obvious that this process is linear. The linearity of the trans-form is the most significant feature of histogram-based white balancing algorithm. In the next subsection, we will show that this linearity is also an important difference between white balancing and contrast enhancement

B. Histogram-Based Analysis on Contrast Enhancement

The expected context-free contrast of image is defined by

$$C = P_c^T S_c \quad (6)$$

By the definition, the maximum contrast is, which is achieved by a binary black-and-white image; the minimum contrast is zero when the image is a constant. So, the contrast enhancement is achieved by maximizing (6) in [43], as follows

$$\hat{S}_C = \operatorname{argmax} P_C^T S_C$$

$$s. t. \sum_{i=1}^K S_{Ci} = L_C, S_{Ci} \geq d \quad (7)$$

Where the first constraint makes sure that the output image still has a suitable dynamic range and the second constraint denotes the minimum distance between adjacent gray levels as d .

$$h_{ci} - C \sum_{j=n}^i P_{Cj} \quad (8)$$

Here C is a constant. Eq. (8) also gives a relationship between histogram and the distance between adjacent intensity levels, as following shows

$$\hat{S}_{ci} = \hat{h}_{ci} - \hat{h}_{c,i-1} = \hat{C}_{pci} \quad (9)$$

According to (8), (9), histogram equalization is equivalent to solving following optimization problem

$$\hat{S}_C = \operatorname{argmax} \frac{1}{\|P_C^{-1} S_C\|}, \quad (10)$$

$$s. t. \sum_{i=1}^K S_{Ci} = L_C, S_{Ci} \geq d$$

The performance of histogram equalization is not optimal in most situations. The essential reason for its limited performance is the questionable assumption that the histogram of ideal image obeys uniform distribution. To get better equalization result, we need to find a better distribution which is a big challenge. Recently, some adaptive histogram equalization methods are proposed but gave neither a clear definition of contrast nor an explicit objective function of contrast enhancement like (7), (10) shows. A common feature of all the enhancement methods mentioned above is that the transform of histogram is non-linear, which is different from white balancing.

3. THE PROPOSED MODEL

The aims of establishing the generalized equalization model include: 1) giving a unified explanation to white balancing

problem and contrast enhancement problem; 2) providing an explicit objective function for these two problems and proposing a joint algorithm for them; 3) controlling the performance of the algorithm by as few parameters as possible. The proposed model is inspired by (7), (10). Although (7),(10) seem to be very different, if we regard the order of and

$$\hat{S}_C = \operatorname{argmax} \frac{1}{\|P_C^{-\beta} S_C\|^n}$$

$$s. t. \sum_{i=1}^K S_{Ci} = L_C, S_{Ci} \geq d \quad (11)$$

Both (10) and (7) have interesting relationships with (11)

According to the analysis above, (11) provides a reasonable and unified definition with the objective function of contrast enhancement. We will further take white balancing into the model. Based on (4), (11), we formulate the generalized equalization model mathematically as follows

$$\hat{S}_C = \operatorname{argmax} \sum_{c=r,g,b} \|P_C^{-1} S_C\|_n,$$

$$s. t. \sum_{i=1}^K S_{Ci} = \frac{1}{e_c(\alpha)\sqrt{3}} \sum_{i=1}^K S_{Ci}, S_{Ci} \geq d \quad (12)$$

$$G = \frac{P_C^T \hat{S}_C}{P_C^T \hat{S}_C}, NL = \|\nabla(\hat{S}_C - \hat{S}_C)\|_2 \quad (13)$$

However, separate nonlinear transform of histograms of three channels may cause tone distortion. In the next section, we will theoretically prove that the proposed method, with a suitable configuration of parameters, can achieve a best trade-off between contrast enhancement and tone adjustment.

4. SIMULATIONS RESULTS




Figure 2: Image enhancement by generalized equalization model (Horse image) Elapsed time is 0.366000 seconds

5. CONCLUSION

In this paper, we have a tendency to analyze the relationships between image bar chart and contrast/tone. We have a tendency to establish a generalized effort model for world image tone mapping. intensive experimental results recommend that the projected technique has sensible performances in several typical applications together with image distinction sweetening, tone correction, white reconciliation and post-processing of de-hazed pictures. Within the future, besides world image sweetening, we have a tendency to expect to unify additional native image sweetening strategies into the model through native image feature analysis.

REFERENCES

- [1] T. Arici, S. Dikbas, and Y. Altunbasak, "A histogram modification framework and its application for image contrast enhancement," *IEEE Trans. Image Process.*, vol. 18, no. 9, pp. 1921–1935, 2009.
- [2] M. Ashikhmin, "A tone mapping algorithm for high contrast images," in *Proc. 13th Eurographics Workshop Rendering*, 2002.
- [3] K. Barnard, L. Martin, B. Funt, and A. Coath, "A data set for colour research," *Color Res. Applicat.*, vol. 27, no. 3, pp. 147–151, 2002.
- [4] G. Buchsbaum, "A spatial processor model for object colour perception," *J. Frank. Inst.*, vol. 310, 1980.
- [5] Z. Chen, B. Abidi, D. Page, and M. Abidi, "Gray-level grouping (glg): An automatic method for optimized image contrast enhancement—Part i: The basic method," *IEEE Trans. Image Process.*, vol. 15, no. 8, pp. 2303–2314, 2006.
- [6] F. Ciurea and B. Funt, The SunBurst Resort, Scottsdale, AZ, USA, "A large image database for color constancy research," in *Proc. IS&T/SIDs Color Imaging Conf.*, 2004, pp. 160–164.
- [7] D. Coltuc, P. Bolon, and J.-M. Chassery, "Exact histogram specification," *IEEE Trans. Image Process.*, vol. 15, no. 5, pp. 1143–1152, 2006.
- [8] F. Drago, K. Myszkowski, T. Annen, and N. Chiba, "Adaptive logarithmic mapping for displaying high contrast scenes," in *Proc. Computer Graphics Forum*, 2003, vol. 22, no. 3.
- [9] E. D. P. et al., "Contrast limited adaptive histogram image processing to improve the detection of simulated speculations in dense mammograms," *J. Digital Imag.*, vol. 11, no. 4, pp. 193–200, 1998.
- [10] J. K. et al., "Deep photo: Model-based photograph enhancement and viewing," *ACM Trans. Graph.—Proc. ACM SIGGRAPH*, vol. 27, no. 5, 2008.
- [11] Z. Farbman, R. Fattal, D. Lischinski, and R. Szeliski, "Edge-preserving decompositions for multi-scale tone and detail manipulation," *ACM Trans. Graph.*, vol. 27, no. 3, 2008.
- [12] H. Farid, "Blind inverse gamma correction," *IEEE Trans. Image Process.*, vol. 10, no. 10, pp. 1428–1433, 2001.
- [13] R. Fattal, "Single image dehazing," *ACM Trans. Graph.—Proc. ACM SIGGRAPH*, vol. 27, no. 3, 2008.
- [14] R. Fattal, M. Agrawala, and S. Rusinkiewicz, "Multiscale shape and detail enhancement from multi-light image collections," *ACM Trans. Graph.*, vol. 26, no. 3, pp. 51–59, 2007.